

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xs:element name="flsbInformazioniRicobero">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="bInformazioniRicobero"
minOccurs="1" maxOccurs="unbounded">
          <xs:complexType>
            <xs:sequence>
              <xs:element
name="trasmissione">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element name="tipo">
                      <xs:simpleType>
                        <xs:restriction base="xs:string">
                          <xs:length value="1"/>
                          <xs:enumeration value="I"/>
                          <xs:enumeration value="C"/>
                          <xs:enumeration value="V"/>
                          <xs:enumeration value="i"/>
                          <xs:enumeration value="c"/>
                          <xs:enumeration value="v"/>
                        </xs:restriction>
                      </xs:simpleType>
                    </xs:element>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="informazioniRicobero">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="regimeRicobero">

```

```
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="9"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="dataPrenotazione" type="xs:date" minOccurs="0">
<xs:annotation>
    <xs:documentation>
Valore di esempio: 2016-02-01
    </xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="classePriorita" minOccurs="0">
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="A"/>
        <xs:enumeration value="B"/>
        <xs:enumeration value="C"/>
        <xs:enumeration value="D"/>
        <xs:enumeration value="a"/>
        <xs:enumeration value="b"/>
        <xs:enumeration value="c"/>
        <xs:enumeration value="d"/>
    </xs:restriction>
```

```

</xs:simpleType>
</xs:element>
<xs:element name="dataRicovero" type="xs:date">
<xs:annotation>
    <xs:documentation>
Valore di esempio: 2016-03-17
    </xs:documentation>
</xs:annotation>
</xs:element>
<xs:element name="oraRicovero" minOccurs="0">
<xs:annotation>
    <xs:documentation>
Valore di esempio: 21:46
    </xs:documentation>
</xs:annotation>
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="5"/>
        <xs:pattern value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="unitaOperativaAmmissione">
<xs:annotation>
    <xs:documentation>
Valore di esempio: 160907010201
    </xs:documentation>

```

```
</xs:annotation>

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="12"/>
  </xs:restriction>
</xs:simpleType>

</xs:element>

<xs:element name="onereDegenza">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="1"/>
      <xs:enumeration value="1"/>
      <xs:enumeration value="2"/>
      <xs:enumeration value="4"/>
      <xs:enumeration value="5"/>
      <xs:enumeration value="6"/>
      <xs:enumeration value="7"/>
      <xs:enumeration value="8"/>
      <xs:enumeration value="9"/>
      <xs:enumeration value="a"/>
      <xs:enumeration value="A"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

<xs:element name="provenienzaPaziente">
  <xs:simpleType>
    <xs:restriction base="xs:string">
```

```
<xs:length value="2"/>
<xs:enumeration value="01"/>
<xs:enumeration value="02"/>
<xs:enumeration value="03"/>
<xs:enumeration value="04"/>
<xs:enumeration value="05"/>
<xs:enumeration value="06"/>
<xs:enumeration value="07"/>
<xs:enumeration value="08"/>
<xs:enumeration value="09"/>
<xs:enumeration value="10"/>
<xs:enumeration value="11"/>
<xs:enumeration value="12"/>
<xs:enumeration value="99"/>
```

```
</xs:restriction>
```

```
</xs:simpleType>
```

```
</xs:element>
```

```
<xs:element name="tipoRicovery" minOccurs="0">
```

```
<xs:simpleType>
```

```
<xs:restriction base="xs:string">
```

```
<xs:length value="1"/>
```

```
<xs:enumeration value="1"/>
```

```
<xs:enumeration value="2"/>
```

```
<xs:enumeration value="3"/>
```

```
<xs:enumeration value="4"/>
```

```
<xs:enumeration value="5"/>
```

```
</xs:restriction>
```

```

</xs:simpleType>
</xs:element>
<xs:element name="traumatismiIntossicazioni" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
    <xs:enumeration value="1"/>
    <xs:enumeration value="2"/>
    <xs:enumeration value="3"/>
    <xs:enumeration value="4"/>
    <xs:enumeration value="5"/>
    <xs:enumeration value="9"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="codiceCausaEsterna" minOccurs="0">
<xs:annotation>
  <xs:documentation>
Valori di esempio: E853, E9538
  </xs:documentation>
</xs:annotation>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:minLength value="4"/>
    <xs:maxLength value="5"/>
    <xs:pattern value="[E]{1}[8-9]{1}[0-9]{2}[0-9]{0,1}"/>
  </xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element name="Trasferimenti" minOccurs="0" maxOccurs="15">
<xs:complexType>
  <xs:sequence>
    <xs:element name="dataTrasferimento" type="xs:date">
      <xs:annotation>
        <xs:documentation>
          Valore di esempio: 2016-03-18
        </xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="oraTrasferimento">
      <xs:annotation>
        <xs:documentation>
          Valore di esempio: 15:15
        </xs:documentation>
      </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="5"/>
          <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="unitaTrasferimento">
      <xs:annotation>

```

```

        <xs:documentation>
Valori di esempio: 160907010652, 160907010438
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="12"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="numTrasferimento" use="required">
    <xs:annotation>
        <xs:documentation>
Valore di esempio: 01
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="dimissione">
<xs:complexType>

```



```

<xs:sequence>
  <xs:element name="unitaOperativaDimissione">
    <xs:annotation>
      <xs:documentation>
        Valore di esempio: 160907010201
      </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="12"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="dataDimissioneMorte">
    <xs:annotation>
      <xs:documentation>
        Valore di esempio: 2016-03-25
      </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:date"/>
    </xs:simpleType>
  </xs:element>
  <xs:element name="oraDimissioneMorte" minOccurs="0">
    <xs:annotation>
      <xs:documentation>
        Valore di esempio: 16:25
      </xs:documentation>
    </xs:annotation>
  </xs:element>

```

```

        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="5"/>
            <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="modalitaDimissione">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="2"/>
            <xs:enumeration value="01"/>
            <xs:enumeration value="02"/>
            <xs:enumeration value="03"/>
            <xs:enumeration value="04"/>
            <xs:enumeration value="05"/>
            <xs:enumeration value="06"/>
            <xs:enumeration value="07"/>
            <xs:enumeration value="08"/>
            <xs:enumeration value="09"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="FlagICicloCura" minOccurs="0">

```

```
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="1"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="riscontroAutoptico" minOccurs="0">
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="1"/>
        <xs:enumeration value="2"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="motivoRicoveroRegimeDiurno" minOccurs="0">
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="1"/>
        <xs:enumeration value="2"/>
        <xs:enumeration value="3"/>
        <xs:enumeration value="4"/>
    </xs:restriction>
```

```
</xs:simpleType>
</xs:element>
<xs:element name="numGiornateRicoveroDiurno" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:maxInclusive value="999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="pesoNascita" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
Valore di esempio: 1523
    </xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="100"/>
      <xs:maxInclusive value="9999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="AccessiInDH" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="dataAccesso" type="xs:date" maxOccurs="366">
```

```
        <xs:annotation>
            <xs:documentation>
                Valore di esempio: 2016-03-18
            </xs:documentation>
        </xs:annotation>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="diagnosiPrincipale">
<xs:complexType>
    <xs:sequence>
        <xs:element name="diagnosiPrincipaleDimissione">
            <xs:annotation>
                <xs:documentation>
                    Valori di esempio: V181, 99883
                </xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:minLength value="3"/>
                    <xs:maxLength value="5"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="diagnosiPrincipaleDimissioneAlRicovero">
            <xs:simpleType>
```

```
<xs:restriction base="xs:string">
    <xs:length value="1"/>
    <xs:enumeration value="0"/>
    <xs:enumeration value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="Lateralita" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="stadiazioneCondensata" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
            <xs:enumeration value="4"/>
            <xs:enumeration value="5"/>
            <xs:enumeration value="6"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
```

```

        <xs:enumeration value="7"/>
        <xs:enumeration value="8"/>
        <xs:enumeration value="9"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="diagnosiSecondarie" minOccurs="0" maxOccurs="5">
<xs:complexType>
    <xs:sequence>
        <xs:element name="diagnosiSecondarieDimissione">
            <xs:annotation>
                <xs:documentation>
                    Valori di esempio: 8976, V25
                </xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:minLength value="3"/>
                    <xs:maxLength value="5"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="diagnosiSecondarieDimissioneAlRicovero">
            <xs:simpleType>

```

```
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="0"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Lateralita" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="stadiazioneCondensata" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
            <xs:enumeration value="4"/>
            <xs:enumeration value="5"/>
            <xs:enumeration value="6"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
```



```

        <xs:enumeration value="7"/>
        <xs:enumeration value="8"/>
        <xs:enumeration value="9"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="numDiagnosiSecondaria" use="required">
    <xs:annotation>
        <xs:documentation>
Valore di esempio: 1
        </xs:documentation>
    </xs:annotation>
</xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="interventoPrincipale" minOccurs="0">
<xs:complexType>
    <xs:sequence>
        <xs:element name="interventoPrincipale">
            <xs:annotation>
                <xs:documentation>

```

Valori di esempio: 002, 5689

```

        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="3"/>
            <xs:maxLength value="4"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="interventoPrincipaleEsterno">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="0"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="dataInterventoPrincipale" type="xs:date">
    <xs:annotation>
        <xs:documentation>
Valore di esempio: 2016-03-21
        </xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="oraInterventoPrincipale" minOccurs="0">
```

```

        <xs:annotation>
            <xs:documentation>
Valore di esempio: 15:06
            </xs:documentation>
        </xs:annotation>
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="5"/>
                <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="chirurgoInterventoPrincipale" minOccurs="0"
maxOccurs="3">
        <xs:annotation>
            <xs:documentation>
Codice fiscale
            </xs:documentation>
        </xs:annotation>
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="16"/>
                <xs:pattern value="[a-zA-Z]{6}[0-9 L M N
P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P
Q R S T U V]{3}[a-zA-Z]{1}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

minOccurs="0">
    <xs:element name="anestesistaInterventoPrincipale"
        <xs:annotation>
            <xs:documentation>
                Codice fiscale
            </xs:documentation>
        </xs:annotation>
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="16"/>
                <xs:pattern value="[a-zA-Z]{6}[0-9 L M N
                    P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P
                    Q R S T U V]{3}[a-zA-Z]{1}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
minOccurs="0">
    <xs:element name="ckListSalaOperatoriaInterventoPrincipale"
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="1"/>
                <xs:enumeration value="0"/>
                <xs:enumeration value="1"/>
                <xs:enumeration value="9"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="Lateralita" minOccurs="0">
        <xs:simpleType>

```

```
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="flagRobot" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="UDI" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="0"/>
            <xs:maxLength value="75"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
```

```
<xs:element name="interventiSecondari" minOccurs="0" maxOccurs="10">
<xs:complexType>
  <xs:sequence>
    <xs:element name="interventiSecondari">
      <xs:annotation>
        <xs:documentation>
          Valori di esempio: 534, 8967
        </xs:documentation>
      </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:minLength value="3"/>
          <xs:maxLength value="4"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="interventiSecondariEsterni">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="1"/>
          <xs:enumeration value="0"/>
          <xs:enumeration value="1"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="dataInterventoSecondario" type="xs:date">
      <xs:annotation>
```

```

        <xs:documentation>
Valore di esempio: 2016-03-22
        </xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="oraInizioInterventoSecondario" minOccurs="0">
    <xs:annotation>
        <xs:documentation>
Valore di esempio: 18:29
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="5"/>
            <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element name="chirurgoInterventoSecondario" minOccurs="0"
maxOccurs="3">
    <xs:annotation>
        <xs:documentation>
Codice fiscale
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">

```

```

        <xs:length value="16"/>
        <xs:pattern value="[a-zA-Z]{6}[0-9 L M N
P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P
Q R S T U V]{3}[a-zA-Z]{1}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="anestesistaInterventoSecondario"
minOccurs="0">
    <xs:annotation>
        <xs:documentation>
            Codice fiscale
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="16"/>
            <xs:pattern value=" [a-zA-Z]{6}[0-9 L M
N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N
P Q R S T U V]{3}[a-zA-Z]{1}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="ckListSalaOperatoriaInterventoSecondario"
minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="0"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```



```
                <xs:enumeration value="9"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="Lateralita" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="1"/>
                <xs:enumeration value="1"/>
                <xs:enumeration value="2"/>
                <xs:enumeration value="3"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="flagRobot" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="1"/>
                <xs:enumeration value="1"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="UDI" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:minLength value="0"/>
                <xs:maxLength value="75"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
```

```
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="numInterventoSecondario" use="required">
    <xs:annotation>
        <xs:documentation>
Valore di esempio: 01
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="rilevazioneDolore">
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="0"/>
        <xs:enumeration value="1"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
```

```
<xs:element name="pressioneArteriosaSistolica" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      Valori di esempio: 85, 135
    </xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:positiveInteger">
      <xs:minInclusive value="30"/>
      <xs:maxInclusive value="300"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="creatininaSerica" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      Valori di esempio: 5.3, 55, 0.98
    </xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="4"/>
      <xs:fractionDigits value="2"/>
      <xs:minInclusive value="0"/>
      <xs:maxInclusive value="99.99"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:element>
<xs:element name="frazioneEiezione" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:nonNegativeInteger">
      <xs:minInclusive value="0"/>
      <xs:maxInclusive value="99"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="espianto" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="1"/>
      <xs:enumeration value="0"/>
      <xs:enumeration value="1"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="etaGestazionale" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="2"/>
      <xs:enumeration value="22"/>
      <xs:enumeration value="23"/>
      <xs:enumeration value="24"/>
      <xs:enumeration value="25"/>
      <xs:enumeration value="26"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
<xs:enumeration value="27"/>
<xs:enumeration value="28"/>
<xs:enumeration value="29"/>
<xs:enumeration value="30"/>
<xs:enumeration value="31"/>
<xs:enumeration value="32"/>
<xs:enumeration value="33"/>
<xs:enumeration value="34"/>
<xs:enumeration value="35"/>
<xs:enumeration value="36"/>
<xs:enumeration value="37"/>
<xs:enumeration value="38"/>
<xs:enumeration value="39"/>
<xs:enumeration value="40"/>
<xs:enumeration value="41"/>
<xs:enumeration value="42"/>
<xs:enumeration value="43"/>
<xs:enumeration value="44"/>
```

```
</xs:restriction>
```

```
</xs:simpleType>
```

```
</xs:element>
```

```
<xs:element name="DRG" minOccurs="0">
```

```
<xs:simpleType>
```

```
<xs:restriction base="xs:string">
```

```
<xs:minLength value="1"/>
```

```
<xs:maxLength value="3"/>
```

```
</xs:restriction>
```

```
</xs:simpleType>
</xs:element>
<xs:element name="tariffa">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="8"/>
      <xs:fractionDigits value="2"/>
      <xs:minInclusive value="0.00"/>
      <xs:maxInclusive value="999999.99"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="NumeroFattura" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="20"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="dataFattura" type="xs:date" minOccurs="0">
  <xs:annotation>
    <xs:documentation>
      Valore di esempio: 2016-03-16
    </xs:documentation>
  </xs:annotation>
</xs:element>
```

```
</xs:sequence>
<xs:attribute name="codiceIstitutoDiCura" use="required">
<xs:annotation>
<xs:documentation>
di esempio: 16010100
</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restriction base="xs:string">
    <xs:length value="8"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="progressivoSDO" use="required">
<xs:annotation>
<xs:documentation>
di esempio: 16008542
</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restriction base="xs:string">
    <xs:length value="8"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

