

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified">
    <xs:element name="flsbInformazioniRicovero">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="bInformazioniRicovero"
minOccurs="1" maxOccurs="unbounded">
                    <xs:complexType>
                        <xs:sequence>
                            <xs:element
name="trasmissione">
                                <xs:complexType>
                                    <xs:sequence>
                                        <xs:element name="tipo">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:length value="1"/>
                                                    <xs:enumeration value="I"/>
                                                    <xs:enumeration value="C"/>
                                                    <xs:enumeration value="V"/>
                                                    <xs:enumeration value="i"/>
                                                    <xs:enumeration value="c"/>
                                                    <xs:enumeration value="v"/>
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                    </xs:sequence>
                                </xs:complexType>
                            </xs:element>
                        </xs:sequence>
                    </xs:complexType>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
<xs:element name="informazioniRicovero">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="regimeRicovero">

```

```
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
    <xs:enumeration value="1"/>
    <xs:enumeration value="2"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

<xs:element name="dataPrenotazione" type="xs:date" minOccurs="0">
<xs:annotation>
  <xs:documentation>
Valore di esempio: 2016-02-01
  </xs:documentation>
</xs:annotation>
</xs:element>

<xs:element name="classePriorita" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="1"/>
    <xs:enumeration value="A"/>
    <xs:enumeration value="B"/>
    <xs:enumeration value="C"/>
    <xs:enumeration value="D"/>
    <xs:enumeration value="a"/>
    <xs:enumeration value="b"/>
    <xs:enumeration value="c"/>
    <xs:enumeration value="d"/>
```

```
</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="dataRicovero" type="xs:date">
<xs:annotation>
    <xs:documentation>
        Valore di esempio: 2016-03-17
    </xs:documentation>
</xs:annotation>
</xs:element>

<xs:element name="oraRicovero" minOccurs="0">
<xs:annotation>
    <xs:documentation>
        Valore di esempio: 21:46
    </xs:documentation>
</xs:annotation>
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="5"/>
        <xs:pattern value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>

<xs:element name="unitaOperativaAmmmissione">
<xs:annotation>
    <xs:documentation>
        Valore di esempio: 160907010201
    </xs:documentation>
</xs:annotation>
</xs:element>
```

```
</xs:documentation>

</xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="12"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="onereDegenza">

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="1"/>

        <xs:enumeration value="2"/>

        <xs:enumeration value="4"/>

        <xs:enumeration value="5"/>

        <xs:enumeration value="6"/>

        <xs:enumeration value="7"/>

        <xs:enumeration value="8"/>

        <xs:enumeration value="9"/>

        <xs:enumeration value="a"/>

        <xs:enumeration value="A"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="provenienzaPaziente">

<xs:simpleType>
```

```
<xs:restriction base="xs:string">

    <xs:length value="2"/>

    <xs:enumeration value="01"/>

    <xs:enumeration value="02"/>

    <xs:enumeration value="03"/>

    <xs:enumeration value="04"/>

    <xs:enumeration value="05"/>

    <xs:enumeration value="06"/>

    <xs:enumeration value="07"/>

    <xs:enumeration value="08"/>

    <xs:enumeration value="09"/>

    <xs:enumeration value="10"/>

    <xs:enumeration value="11"/>

    <xs:enumeration value="12"/>

    <xs:enumeration value="99"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="tipoRicovero" minOccurs="0">

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="1"/>

        <xs:enumeration value="2"/>

        <xs:enumeration value="3"/>

        <xs:enumeration value="4"/>

        <xs:enumeration value="5"/>

    </xs:restriction>

</xs:simpleType>
```

```
</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="traumatismiIntossicazioni" minOccurs="0">

<xs:simpleType>

<xs:restriction base="xs:string">

<xs:length value="1"/>

<xs:enumeration value="1"/>

<xs:enumeration value="2"/>

<xs:enumeration value="3"/>

<xs:enumeration value="4"/>

<xs:enumeration value="5"/>

<xs:enumeration value="9"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="codiceCausaEsterna" minOccurs="0">

<xs:annotation>

<xs:documentation>

Valori di esempio: E853, E9538

</xs:documentation>

</xs:annotation>

<xs:simpleType>

<xs:restriction base="xs:string">

<xs:minLength value="4"/>

<xs:maxLength value="5"/>

<xs:pattern value="[E]{1}[8-9]{1}[0-9]{2}[0-9]{0,1}"/>
```

```
</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="Trasferimenti" minOccurs="0" maxOccurs="15">

<xs:complexType>

<xs:sequence>

<xs:element name="dataTrasferimento" type="xs:date">

<xs:annotation>

<xs:documentation>

Valore di esempio: 2016-03-18

</xs:documentation>

</xs:annotation>

</xs:element>

<xs:element name="oraTrasferimento">

<xs:annotation>

<xs:documentation>

Valore di esempio: 15:15

</xs:documentation>

</xs:annotation>

<xs:simpleType>

<xs:restriction base="xs:string">

<xs:length value="5"/>

<xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="unitaTrasferimento">
```

```
<xs:annotation>

    <xs:documentation>
        Valori di esempio: 160907010652, 160907010438
    </xs:documentation>

</xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:string">
        <xs:length value="12"/>
    </xs:restriction>
</xs:simpleType>

</xs:element>

</xs:sequence>

<xs:attribute name="numTrasferimento" use="required">

    <xs:annotation>
        <xs:documentation>
            Valore di esempio: 01
        </xs:documentation>
    </xs:annotation>

    <xs:simpleType>

        <xs:restriction base="xs:string">
            <xs:length value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>

</xs:complexType>

</xs:element>

<xs:element name="dimissione">
```

```
<xs:complexType>
  <xs:sequence>
    <xs:element name="unitaOperativaDimissione">
      <xs:annotation>
        <xs:documentation>
          Valore di esempio: 160907010201
        </xs:documentation>
      </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="12"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="dataDimissioneMorte">
    <xs:annotation>
      <xs:documentation>
        Valore di esempio: 2016-03-25
      </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
      <xs:restriction base="xs:date"/>
    </xs:simpleType>
  </xs:element>
  <xs:element name="oraDimissioneMorte" minOccurs="0">
    <xs:annotation>
      <xs:documentation>
```

Valore di esempio: 16:25

```
</xs:documentation>

</xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="5"/>

        <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="modalitaDimissione">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="2"/>

            <xs:enumeration value="01"/>

            <xs:enumeration value="02"/>

            <xs:enumeration value="03"/>

            <xs:enumeration value="04"/>

            <xs:enumeration value="05"/>

            <xs:enumeration value="06"/>

            <xs:enumeration value="07"/>

            <xs:enumeration value="08"/>

            <xs:enumeration value="09"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>
```

```
<xs:element name="FlagICicloCura" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

<xs:element name="riscontroAutoptico" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="motivoRicoveroRegimeDiurno" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
            <xs:enumeration value="4"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
```

```
</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="numGiornateRicoveroDiurno" minOccurs="0">

<xs:simpleType>

<xs:restriction base="xs:integer">

    <xs:minInclusive value="1"/>

    <xs:maxInclusive value="999"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="pesoNascita" minOccurs="0">

<xs:annotation>

    <xs:documentation>

        Valore di esempio: 1523

    </xs:documentation>

</xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:integer">

        <xs:minInclusive value="100"/>

        <xs:maxInclusive value="9999"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="AccessiInDH" minOccurs="0">

<xs:complexType>

    <xs:sequence>
```

```

<xs:element name="dataAccesso" type="xs:date" maxOccurs="366">

    <xs:annotation>
        <xs:documentation>
            Valore di esempio: 2016-03-18
        </xs:documentation>
    </xs:annotation>
</xs:element>

</xs:sequence>
</xs:complexType>
</xs:element>

<xs:element name="diagnosiPrincipale">
<xs:complexType>
    <xs:sequence>
        <xs:element name="diagnosiPrincipaleDimissione">
            <xs:annotation>
                <xs:documentation>
                    Valori di esempio: V181, 99883
                </xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:minLength value="3"/>
                    <xsmaxLength value="5"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="diagnosiPrincipaleDimissioneAlRicovero">

```

```
<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="0"/>

        <xs:enumeration value="1"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="Lateralita" minOccurs="0">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="1"/>

            <xs:enumeration value="1"/>

            <xs:enumeration value="2"/>

            <xs:enumeration value="3"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>

<xs:element name="stadiazioneCondensata" minOccurs="0">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="1"/>

            <xs:enumeration value="1"/>

            <xs:enumeration value="2"/>

            <xs:enumeration value="3"/>

            <xs:enumeration value="4"/>

            <xs:enumeration value="5"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>
```

```

        <xs:enumeration value="6"/>
        <xs:enumeration value="7"/>
        <xs:enumeration value="8"/>
        <xs:enumeration value="9"/>

    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="diagnosiSecondarie" minOccurs="0" maxOccurs="5">
<xs:complexType>
<xs:sequence>
<xs:element name="diagnosiSecondarieDimissione">
<xs:annotation>
<xs:documentation>
Valori di esempio: 8976, V25
</xs:documentation>
</xs:annotation>
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:minLength value="3"/>
<xs:maxLength value="5"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="diagnosiSecondarieDimissioneAlRicovero">

```

```
<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="0"/>

        <xs:enumeration value="1"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="Lateralita" minOccurs="0">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="1"/>

            <xs:enumeration value="1"/>

            <xs:enumeration value="2"/>

            <xs:enumeration value="3"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>

<xs:element name="stadiazioneCondensata" minOccurs="0">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="1"/>

            <xs:enumeration value="1"/>

            <xs:enumeration value="2"/>

            <xs:enumeration value="3"/>

            <xs:enumeration value="4"/>

            <xs:enumeration value="5"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>
```

```

                <xs:enumeration value="6"/>
                <xs:enumeration value="7"/>
                <xs:enumeration value="8"/>
                <xs:enumeration value="9"/>

            </xs:restriction>
        </xs:simpleType>
    </xs:element>
</xs:sequence>

<xs:attribute name="numDiagnosiSecondaria" use="required">
    <xs:annotation>
        <xs:documentation>
            Valore di esempio: 1
        </xs:documentation>
    </xs:annotation>
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="interventoPrincipale" minOccurs="0">
<xs:complexType>
    <xs:sequence>
        <xs:element name="interventoPrincipale">
            <xs:annotation>

```

```
        <xs:documentation>

    Valori di esempio: 002, 5689

        </xs:documentation>

    </xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:minLength value="3"/>

        <xsmaxLength value="4"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="interventoPrincipaleEsterno">

    <xs:simpleType>

        <xs:restriction base="xs:string">

            <xs:length value="1"/>

            <xs:enumeration value="0"/>

            <xs:enumeration value="1"/>

        </xs:restriction>

    </xs:simpleType>

</xs:element>

<xs:element name="dataInterventoPrincipale" type="xs:date">

    <xs:annotation>

        <xs:documentation>

    Valore di esempio: 2016-03-21

        </xs:documentation>

    </xs:annotation>

</xs:element>
```

```

<xs:element name="oraInterventoPrincipale" minOccurs="0">

    <xs:annotation>
        <xs:documentation>
            Valore di esempio: 15:06
        </xs:documentation>
    </xs:annotation>

    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="5"/>
            <xs:pattern value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>

<xs:element name="chirurgoInterventoPrincipale" minOccurs="0"
maxOccurs="3">

    <xs:annotation>
        <xs:documentation>
            Codice fiscale
        </xs:documentation>
    </xs:annotation>

    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="16"/>
            <xs:pattern value="[a-zA-Z]{6}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{3}[a-zA-Z]{1}"/>
        </xs:restriction>
    </xs:simpleType>

```

```

        </xs:element>

        <xs:element name="anestesistaInterventoPrincipale"
minOccurs="0">

            <xs:annotation>
                <xs:documentation>
                    Codice fiscale
                </xs:documentation>
            </xs:annotation>

            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:length value="16"/>
                    <xs:pattern value="[a-zA-Z]{6}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{3}[a-zA-Z]{1}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>

        <xs:element name="ckListSalaOperatoriaInterventoPrincipale"
minOccurs="0">

            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:length value="1"/>
                    <xs:enumeration value="0"/>
                    <xs:enumeration value="1"/>
                    <xs:enumeration value="9"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>

        <xs:element name="Lateralita" minOccurs="0">

```

```
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:enumeration value="1"/>
        <xs:enumeration value="2"/>
        <xs:enumeration value="3"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="flagRobot" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="UDI" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="0"/>
            <xs:maxLength value="75"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

```
</xs:element>

<xs:element name="interventiSecondari" minOccurs="0" maxOccurs="10">
<xs:complexType>

<xs:sequence>

<xs:element name="interventiSecondari">

<xs:annotation>
<xs:documentation>
Valori di esempio: 534, 8967
</xs:documentation>
</xs:annotation>

<xs:simpleType>

<xs:restriction base="xs:string">
<xs:minLength value="3"/>
<xs:maxLength value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:element>

<xs:element name="interventiSecondariEsterni">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:length value="1"/>
<xs:enumeration value="0"/>
<xs:enumeration value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:element>

<xs:element name="dataInterventoSecondario" type="xs:date">
```

```
<xs:annotation>

    <xs:documentation>
        Valore di esempio: 2016-03-22
    </xs:documentation>

</xs:annotation>

</xs:element>

<xs:element name="oraInizioInterventoSecondario" minOccurs="0">

    <xs:annotation>
        <xs:documentation>
            Valore di esempio: 18:29
        </xs:documentation>
    </xs:annotation>

    <xs:simpleType>

        <xs:restriction base="xs:string">
            <xs:length value="5"/>
            <xs:pattern
value="(0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>

<xs:element name="chirurgoInterventoSecondario" minOccurs="0"
maxOccurs="3">

    <xs:annotation>
        <xs:documentation>
            Codice fiscale
        </xs:documentation>
    </xs:annotation>

    <xs:simpleType>
```

```

        <xs:restriction base="xs:string">
            <xs:length value="16"/>
            <xs:pattern value="[a-zA-Z]{6}[0-9 L M N
P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P
Q R S T U V]{3}[a-zA-Z]{1}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

<xs:element name="anestesistaInterventoSecondario"
minOccurs="0">
    <xs:annotation>
        <xs:documentation>
            Codice fiscale
        </xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="16"/>
            <xs:pattern value= "[a-zA-Z]{6}[0-9 L M
N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N P Q R S T U V]{2}[a-zA-Z]{1}[0-9 L M N
P Q R S T U V]{3}[a-zA-Z]{1}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

<xs:element name="ckListSalaOperatoriaInterventoSecondario"
minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="0"/>

```

```
        <xs:enumeration value="1"/>
        <xs:enumeration value="9"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="Lateralita" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
            <xs:enumeration value="2"/>
            <xs:enumeration value="3"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="flagRobot" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:enumeration value="1"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="UDI" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="0"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
```

```
        <xs:maxLength value="75"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

</xs:sequence>

<xs:attribute name="numInterventoSecondario" use="required">

    <xs:annotation>

        <xs:documentation>
Valore di esempio: 01
        </xs:documentation>

    </xs:annotation>

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="2"/>

    </xs:restriction>

</xs:simpleType>

</xs:attribute>

</xs:complexType>

</xs:element>

<xs:element name="rilevazioneDolore">

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="0"/>

        <xs:enumeration value="1"/>

    </xs:restriction>

</xs:simpleType>
```

```
</xs:element>

<xs:element name="pressioneArteriosaSistolica" minOccurs="0">
<xs:annotation>
    <xs:documentation>
        Valori di esempio: 85, 135
    </xs:documentation>
</xs:annotation>
<xs:simpleType>
    <xs:restriction base="xs:positiveInteger">
        <xs:minInclusive value="30"/>
        <xs:maxInclusive value="300"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>

<xs:element name="creatininaSerica" minOccurs="0">
<xs:annotation>
    <xs:documentation>
        Valori di esempio: 5.3, 55, 0.98
    </xs:documentation>
</xs:annotation>
<xs:simpleType>
    <xs:restriction base="xs:decimal">
        <xs:totalDigits value="4"/>
        <xs:fractionDigits value="2"/>
        <xs:minInclusive value="0"/>
        <xs:maxInclusive value="99.99"/>
    </xs:restriction>

```

```
</xs:simpleType>

</xs:element>

<xs:element name="frazioneEiezione" minOccurs="0">

<xs:simpleType>

    <xs:restriction base="xs:nonNegativeInteger">

        <xs:minInclusive value="0"/>

        <xs:maxInclusive value="99"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="espianto" minOccurs="0">

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="1"/>

        <xs:enumeration value="0"/>

        <xs:enumeration value="1"/>

    </xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="etaGestazionale" minOccurs="0">

<xs:simpleType>

    <xs:restriction base="xs:string">

        <xs:length value="2"/>

        <xs:enumeration value="22"/>

        <xs:enumeration value="23"/>

        <xs:enumeration value="24"/>

        <xs:enumeration value="25"/>

    </xs:restriction>

</xs:simpleType>
```

```
    <xs:enumeration value="26"/>
    <xs:enumeration value="27"/>
    <xs:enumeration value="28"/>
    <xs:enumeration value="29"/>
    <xs:enumeration value="30"/>
    <xs:enumeration value="31"/>
    <xs:enumeration value="32"/>
    <xs:enumeration value="33"/>
    <xs:enumeration value="34"/>
    <xs:enumeration value="35"/>
    <xs:enumeration value="36"/>
    <xs:enumeration value="37"/>
    <xs:enumeration value="38"/>
    <xs:enumeration value="39"/>
    <xs:enumeration value="40"/>
    <xs:enumeration value="41"/>
    <xs:enumeration value="42"/>
    <xs:enumeration value="43"/>
    <xs:enumeration value="44"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="DRG" minOccurs="0">
<xs:simpleType>
    <xs:restriction base="xs:string">
        <xs:minLength value="1"/>
        <xsmaxLength value="3"/>
```

```
</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="tariffa">

<xs:simpleType>

<xs:restriction base="xs:decimal">

    <xs:totalDigits value="8"/>

    <xs:fractionDigits value="2"/>

    <xs:minInclusive value="0.00"/>

    <xs:maxInclusive value="999999.99"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="NumeroFattura" minOccurs="0">

<xs:simpleType>

<xs:restriction base="xs:string">

    <xs:minLength value="1"/>

    <xs:maxLength value="20"/>

</xs:restriction>

</xs:simpleType>

</xs:element>

<xs:element name="dataFattura" type="xs:date" minOccurs="0">

<xs:annotation>

    <xs:documentation>

        Valore di esempio: 2016-03-16

    </xs:documentation>

</xs:annotation>
```

```
</xs:element>

</xs:sequence>

<xs:attribute name="codiceIstitutoDiCura" use="required">
  <xs:annotation>
    <xs:documentation>Valore
      di esempio: 16010100
    </xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="8"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>

<xs:attribute name="progressivoSD0" use="required">
  <xs:annotation>
    <xs:documentation>Valore
      di esempio: 16008542
    </xs:documentation>
  </xs:annotation>
</xs:attribute>
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:length value="8"/>
  </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
```

```
        </xs:sequence>
    </xs:complexType>
    <xs:key name="chiave">
        <xs:selector
xpath="informazioniRicovero"/>
            <xs:field
xpath="@codiceIstitutoDiCura"/>
            <xs:field
xpath="@progressivoSDO"/>
                </xs:key>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:schema>
```